

nuvo


I N T

INNOVATIVE

IM

MARINE

MODERN REEF READY



INSTRUCTION MANUAL

INT-50 | INT-75 | INT-100 | INT-112 | INT-150 | INT-200

LIMITED WARRANTY

The NUVO INT has a 1 YEAR limited warranty. The NUVO INT is warranted to the original purchaser against defective material and workmanship for 1 YEAR from the date of original purchase. This warranty is valid only under the following conditions: additions, modifications, or changes made to the product by the purchaser and not by the manufacturer shall void this warranty. Damages brought on by abuse, misapplication, or mishandling also voids this warranty.

This warranty is limited to the repair or replacement of the product at the discretion of the manufacturer. This warranty does not cover personal injury, property loss, including livestock or damage (direct, incidental, or consequential) arising out of use of this product. This warranty gives you specific rights and you may also have other rights, which may vary from state to state.

The Product Registration Card must be filled out completely and returned within (14) days from the date of purchase. Failure to do so will void this warranty. A proof of purchase from an authorized dealer must be provided when making a warranty claim.

For Warranty Claims please contact our Customer Care Department. 866-368-7941 | warranty@innovative-marine.com

An RMA# must be issued before sending any product back to Innovative Marine. Products sent back to Innovative Marine without an RMA# will not be accepted. Service on products will not extend the original warranty period.

Email: warranty@innovative-marine.com

PLACING AND LEVELING YOUR NUVO AQUARIUM

Make sure your NUVO is set on a level surface to prevent undue stress on the aquarium tank from stress and leaks.

It is not recommended that this aquarium is set upon coffee tables, end tables, TV stands, or night stands unless the structure has been properly tested to withstand the weight limits of the aquarium.

Please pay special attention when leveling your aquarium on carpet.

Before lifting your aquarium, make sure your stand is in position.

Lifting the glass aquarium onto its stand will require more than two people. Please use proper lifting techniques when lifting large heavy objects.

Lift from the bottom of the aquarium DO NOT lift using the aquarium's edges this will cause stress on the glass and seals and may cause leakage.

The back of the aquarium should be flush with your stand and all four corners are not overhanging the edges.

Once you have placed your aquarium atop your stand, make sure your stand has not moved from its position.

Place a level on edge of tank, if necessary readjust and reposition tank and stand.

Items Included:

A - 3/4" LOC-LINE w/ Dual Flare Nozzles [Return]


B - E-Drain Assembly [Overflow]

C - Secondary Drain Assembly [Overflow]

D - Return Hose Assembly [Return]

E - Primary Drain Assembly [Overflow]

Upon arrival please check tank for any missing parts. If parts are missing, please contact Innovative Marine for further assistance. 1-866-368-7941 | warranty@innovative-marine.com



1	3/4" Dual LOC-LINE w/ Nozzles [A]	000034
2	18" - 1" Blue PVC Pipe [B]	000035
3	17.5" - 1" Blue PVC Pipe [C]	000036
4	1" Bulkhead SxS [B,C,E]	000030
5	3/4" Bulkhead SxS [D]	000031
6	8" - 3/4" Blue PVC Pipe [D]	000037
7	3/4" Female SxB Adapter [D]	000038
8	8" - 3/4" Hose [D]	000039
9	3/4" Male SxB Elbow [D]	000040
10	3/4" Bulkhead TxS [D]	000041
11	12.75" - 1" Blue PVC Pipe [E]	000042
12	1" Street Elbow Fitting [E]	000043
13	1" T Fitting [E]	000044
14	13.5" - 1" Blue PVC Pipe [E]	000045

Key Terms

BH - Bulkhead

S - Slip

T - Threaded


ID - Inner Diameter

OD - Outer Diameter

B - Barb

MODERN REEF READY

INTERNAL OVERFLOW [REAR VIEW]



***NOTE: Gate Valve and Plumbing Below Bulkheads Not Included**

NOTE: Primary and Secondary Drain must be submerged a minimum of 1", 1-1/2" for drain pipe to reduce noise.

